



M8

Motorized trolley for pipes and tubes

M8


Z213.720



4,0 km/h




3.000 kg




- For loads up to 3.000 kg.
- Can carry bars and tubes up to 4 mt long.
- Polyurethane wheels resistant to oil.
- 5 levels speed selector.
- Optional upgrade for 6 mt tubes.


👁 **Front View**




👁 **Side View**




👁 **Rear View**






4 m version



6 m version



Main sectors





METALLURGICAL
AND TURNING
INDUSTRY

ACCESSORIES

Modular frame

Thanks to its **modular frame**, it is possible to **increase the length of M8** in order to transport bars and tubes **up to 6 m long**, and on request it is possible to add an additional extension for pipes **up to 12 metres**.



5 level speed adjustment


On the new **M8 tillerhead** designed by **Zallys** there is a button for speed adjustment. By pressing it, at each click the speed will increase by one step. This allows a quick and easy selection of the correct speed based on the kind of operation. **The Flex-to-Go system** has been studied to have a better maneuverability in confined spaces and more speed on longer movements.

Each click adds **20% more speed** than the previous step.

Speed levels:

20% - 40% - 60% - 80% - 100%

Once the speed reaches level five, at the next click it will return at level one.



Ergonomic driving

Zallys tillerhead has been conceived and produced to make the use of the machine more ergonomic for the operator, guaranteeing the perfect **comfort on a continuative operation** during the work shift. **Its ergonomic design** puts **all control buttons at your fingertips**, a LED display with speed and battery level indicators and the power key for a fast and easy ignition. **The structure** is made of **resistant materials** in case of bumps.





Agility and efficiency

Despite its considerable size, **M8** is extremely handy and easy to use. The **traction unit can turn by 180°**, helping the manoeuvres and allowing to drive and position the machine with very few movements and without physical effort for the operator.



Autonomy for a full working day

M8 is powered by four 200/240 Ah batteries, which guarantee the machine for **8 continuative working hours operation**. Thanks to the high frequency external battery charger, the batteries are easy to charge.



Suitable for any material

M8's inserts are coated with non-slip wood, in order to transport even the most delicate materials without risk of damage or scratch them, or spoil their finish.



Examples of applications

on various productive sectors



METALLURGICAL INDUSTRY

Zollys
... the passion for moving





• • • the passion for moving

Zallys srl srl - Via Palazzina 1, Sarcedo
36030 (VI) - Italia

Contacts:

sales@zallys.com
+39 0445 366785

Web site:

www.zallys.com

